## Fluctuations, under time reversal, of the natural time and the entropy distinguish similar looking electric signals of different dynamics

P. A. Varotsos,<sup>a)</sup> N. V. Sarlis, E. S. Skordas, and M. S. Lazaridou

Solid State Section and Solid Earth Physics Institute, Physics Department, University of Athens, Panepistimiopolis, Zografos 157 84, Athens, Greece

(Received 20 July 2007; accepted 29 October 2007; published online 7 January 2008)

We show that the scale dependence of the fluctuations of the natural time itself under time reversal provides a useful tool for the discrimination of seismic electric signals (*critical* dynamics) from noises emitted from man-made sources, as well as for the determination of the scaling exponent. We present recent data of electric signals detected at the Earth's surface, which confirm that the value of the entropy in natural time as well as its value under time reversal are smaller than that of the entropy of a "uniform" distribution. © 2008 American Institute of Physics. [DOI: 10.1063/1.2827363]

#### **I. INTRODUCTION**

In a time series comprising N events, the natural time  $\chi_k = k/N$  serves as an index<sup>1-3</sup> for the occurrence of the kth event. In natural time analysis, the time evolution of the pair of the two quantities  $(\chi_k, Q_k)$  is considered, where  $Q_k$  denotes, in general, a quantity proportional to the energy released during the kth event. In the case of dichotomous electric signals [e.g., seismic electric signal (SES) activities, i.e., low frequency  $\leq 1$  Hz electric signals that precede earthquakes, e.g., see Refs. 4–13].  $Q_k$  stands for the duration of the kth pulse (cf. the SES activities should not be confused with pulses of very short durations observed some minutes before earthquakes<sup>14</sup>). It has been shown<sup>15</sup> that natural time domain is optimal for enhancing the signals' localization in the time-frequency space, thus conforming the desire to reduce uncertainty and extract signal information as much as possible. The entropy S in natural time is defined<sup>16</sup> as the derivative with respect to q of the fluctuation function  $\langle \chi^q \rangle$  $-\langle \chi \rangle^q$  at q=1:

$$S \equiv \langle \chi \ln \chi \rangle - \langle \chi \rangle \ln \langle \chi \rangle, \tag{1}$$

where  $\langle f(\chi) \rangle = \sum_{k=1}^{N} p_k f(\chi_k)$  and  $p_k = Q_k / \sum_{n=1}^{N} Q_n$ . It is dynamic entropy<sup>17,18</sup> and exhibits<sup>19</sup> concavity, positivity, and Lesche<sup>20,21</sup> stability. Note that *S* should not be confused with  $\operatorname{CoV}[\chi, \ln \chi] \equiv \langle \chi \ln \chi \rangle - \langle \chi \rangle \langle \ln \chi \rangle$  as in general  $\langle \ln \chi \rangle$  $\neq \ln \langle \chi \rangle$ . The value of the entropy upon considering the time reversal *T*, i.e.,  $Tp_k = p_{N-k+1}$ , is labeled by *S*\_. The value of *S*\_ is,<sup>19,22,23</sup> in general, different from *S*, and thus *S* does satisfy the conditions to be "causal" in the following sense (see Ref. 19, and references therein): When studying a dynamical system evolving in time, the "causality" of an operator describing this evolution assures that the values assumed by the operator, at each time instant, depends solely on the past values of the system. Hence, a causal operator should be able to represent the evolution of the system according to the (true) time arrow, thus the operator can represent a real physical system evolving in time and reveal the differences arising upon time reversal of the series.

The statistical properties of S and  $S_{-}$  have been studied in a variety of models.<sup>22,23</sup> In the case of a "uniform" distribution  $S = S_{-} = S_{\mu} (= \ln 2/2 - 1/4 \approx 0.0966)$ . The uniform distribution (defined in Refs. 1 and 24) has been analytically studied in Ref. 17 and corresponds to the case when  $Q_k$  are independent and identically distributed (IID) positive random variables of finite variance including the case of Markovian dichotomous electric signals studied in Ref. 16. The uniform distribution corresponds to  $p(\chi) = 1$ , where  $p(\chi)$  is a continuous probability density function (PDF) corresponding to the point probabilities  $p_k$  used so far. When  $Q_k$  of a uniform distribution are perturbed by a small linear trend, we find<sup>22</sup> [see also Eq. (4)] that  $(S-S_u)(S_{-}-S_u) < 0$  (cf. this simple example, which shows that S captures the effect of a linear trend, may be considered as clarifying the meaning of S, see Sec. V of Ref. 22). Another model studied is when the increments of  $Q_k$  are positive IID, in this case we find<sup>23</sup> that  $S \approx 0.048$  and  $S_{-} \approx 0.088$  which are both smaller than  $S_u$ . The same holds, i.e., that both S and  $S_{-}$  are smaller than  $S_{u}$ , in the examples of an on-off intermittency model discussed in Ref. 22 as well as for a multiplicative cascades model<sup>23</sup> adjusted to describe turbulence data.

A case of practical importance is that of the SES activities. SES activities (*critical* dynamics) exhibit infinitely ranged long-range temporal correlations,<sup>22–24</sup> which are destroyed<sup>23</sup> after shuffling the durations  $Q_k$  randomly. An interesting property emerged from the data analysis of several SES activities and refers to the fact<sup>22</sup> that *both* S and S\_ values are smaller than the value of  $S_u$ , i.e.,

$$S, S_{-} < S_{u}, \tag{2}$$

in addition to the fact that for SES activities,<sup>1-3</sup> the variance

$$\kappa_1 \equiv \langle \chi^2 \rangle - \langle \chi \rangle^2 \approx 0.070. \tag{3}$$

These findings—which do *not* hold<sup>19</sup> for "artificial" noises (AN) (i.e., electric signals emitted from man-made sources) —have been supported by numerical simulations in fractional Brownian motion (fBm) time series<sup>22,23</sup> that have

0021-8979/2008/103(1)/014906/12/\$23.00

103, 014906-1

<sup>&</sup>lt;sup>a)</sup>Electronic mail: pvaro@otenet.gr.



FIG. 1. (Color online) Examples of log–log plot of the fluctuations  $\Delta \chi_l$  of the natural time under time reversal versus the scale *l* for (a) fGn and (d) fBm. (b) and (e) depict the values of the scaling exponent  $\chi_{H}$ , introduced here, versus the true exponent *H* for fGn and fBm, respectively. For the sake of comparison, (c) and (f) are similar to (b) and (e), respectively, but for the DFA exponent  $\alpha_{DFA}$ . The (blue) dotted curves show the  $\pm \sigma$  deviation from the average value (obtained after 10<sup>2</sup> runs) depicted by the (red) solid curves. The (green) dashed straight lines correspond to the ideal behavior of each exponent and have been drawn as a guide to the eye.

an exponent  $\alpha_{\text{DFA}}$ , resulted from the detrended fluctuation analysis (DFA),<sup>25,26</sup> close to unity. This model has been applied because fBm (with a self-similarity index  $H \approx 1$ ) has been found<sup>27</sup> as an appropriate type of modeling process for the SES activities. These simulations resulted in values of *S* and *S*\_ that do obey Eq. (2) (see Fig. 4 of Ref. 22) and  $\kappa_1$  $\approx 0.070$  (see Fig. 3 of Ref. 23). It was then conjectured<sup>22</sup> that the validity of the Eq. (2) stems from infinitely ranged longrange temporal correlations (cf.  $H \approx 1$ ). On the other hand, for short-range temporal correlations (e.g., when modeling  $Q_k$  by an autoregressive process  $Q_k = aQ_{k-1} + g_k + c$ , |a| < 1and *c* stands for an appropriate constant to ensure positivity of  $Q_k$  or  $Q_k = |aQ_{k-1} + g_k|$ , where  $g_k$  are Gaussian IID variables) the values of both *S* and *S*\_ approach (see the Appendix) that of  $S_u$  and  $\kappa_1 \rightarrow \kappa_u$ , where  $\kappa_u = 1/12$  denotes the corresponding value of the uniform distribution.<sup>23</sup>

The scope of this article is twofold: First, in Sec. II, we point out the usefulness of the study of the fluctuations of the natural time itself under time reversal. In particular, it enables the determination of the scaling exponent, thus allowing the distinction of SES activities from similar looking AN. Second, in Sec. III, we provide the most recent experimental data that strengthen the validity of Eqs. (2) and (3) for SES activities are described in Sec. IV, and Sec. V summarizes our conclusions.

### II. FLUCTUATIONS OF NATURAL TIME UNDER TIME REVERSAL

The way through which the entropy in natural time captures the influence of the effect of a small linear trend has been studied, as mentioned, in Ref. 22 on the basis of the parametric family of PDFs:  $p(\chi; \epsilon)=1+\epsilon(\chi-1/2)$ , where  $\epsilon$  measures the extent of the linear trend. Such a family of PDFs shares the interesting property  $Tp(\chi; \epsilon)=p(\chi; -\epsilon)$ , i.e., the action of the time reversal is obtained by simply changing the sign of  $\epsilon$ . It has been shown<sup>22</sup> that the entropy  $S(\epsilon) \equiv S[p(\chi; \epsilon)]$ , as well as that of the entropy under time reversal  $S_{-}(\epsilon) \equiv S[Tp(\chi; \epsilon)]$ ,  $S_{-}(\epsilon) = S(-\epsilon)$ , depend *nonlinearly* on the trend parameter  $\epsilon$ :

$$S(\boldsymbol{\epsilon}) = -\frac{1}{4} + \frac{\boldsymbol{\epsilon}}{72} - \left(\frac{1}{2} + \frac{\boldsymbol{\epsilon}}{12}\right) \ln\left(\frac{1}{2} + \frac{\boldsymbol{\epsilon}}{12}\right). \tag{4}$$

However, it would be extremely useful to obtain a *linear* measure of  $\epsilon$  in natural time. Actually, this is simply the average of the natural time itself:

$$\langle \chi \rangle = \int_0^1 \chi p(\chi; \epsilon) d\chi = \frac{1}{2} + \frac{\epsilon}{12}.$$
 (5)

If we consider the fluctuations of this simple measure upon time-reversal, we can obtain information on the long-range dependence of  $Q_k$ . We shall show that a measure of the longrange dependence emerges in natural time if we study the dependence of its fluctuations under time-reversal  $\Delta \chi_l^2 \equiv \mathbb{E}[\langle \chi \rangle - \langle T \chi \rangle]^2]$  on the window length *l* that is used for the calculation. As  $Tp_k = p_{l-k+1}$ , we have



FIG. 2. (Color online) The log–log plot of  $\Delta \chi_l$  versus the scale *l* for three SES activities (K1, K2, and U) and seven AN (n1–n5, n7, and n10) treated in Ref. 19. The signals, excerpts of which are shown in (a), have enough number of pulses in order to apply the present analysis. The values of  $\Delta \chi_l$  are divided by the corresponding values  $\Delta \chi_5$  at the scale *l*=5.

$$\Delta \chi_l^2 \equiv E[(\langle \chi \rangle - \langle \mathcal{T} \chi \rangle)^2] = E\left\{ \left[ \sum_{k=1}^l \frac{k}{l} (p_k - p_{l-k+1}) \right]^2 \right\},$$
(6)

where the symbol E[...] denotes the expectation value obtained when a window of length l is sliding through the time series  $Q_k$ . E[...] is well defined when all the  $\{p_k\}_{k=1,2,...l}$  involved in its argument are also well defined. The evaluation of E[...] can be carried out either by full or by Monte Carlo calculation. In order to achieve this goal, from the original time series  $\{Q_k\}_{k=1,2,...l}$ , we select segments  $\{Q_{m_0+i-1}\}_{i=1,2,...l}$ of length l, and the argument of E[...] is computed by substituting  $p_k = Q_{m_0+k-1}/\sum_{i=1}^l Q_{m_0+i-1}$ . The sum of the resulting values over the number of the selected segments (different  $m_0$ ) is assigned to E[...]. The full calculation refers to the case when  $m_0$  takes all the  $L-l+1(m_0=1,2,...,L-l+1)$ possible values, whereas the Monte Carlo when  $m_0$  is selected randomly.

By expanding the square in the last part of Eq. (6), we obtain

$$\Delta \chi_l^2 = \sum_{k=1}^l \left(\frac{k}{l}\right)^2 \mathbf{E}[(p_k - p_{l-k+1})^2] + \sum_{k \neq m} \frac{km}{l^2} \mathbf{E}[(p_k - p_{l-k+1})(p_m - p_{l-m+1})].$$
(7)

The basic relation<sup>17</sup> that interrelates  $p_k$  is  $\sum_{k=1}^{l} p_k = 1$  or equivalently  $p_k = 1 - \sum_{m \neq k} p_m$ . By subtracting from the last expression its value for k = l - k + 1, we obtain  $p_k - p_{l-k+1} = -\sum_{m \neq k} (p_m - p_{l-m+1})$ , and thus

$$(p_k - p_{l-k+1})^2 = -\sum_{m \neq k} (p_k - p_{l-k+1})(p_m - p_{l-m+1}).$$
(8)

By substituting Eq. (8) into Eq. (7), we obtain

$$\Delta \chi_l^2 = -\sum_{k=1}^l \left(\frac{k}{l}\right)^2 \sum_{m \neq k} E[(p_k - p_{l-k+1})(p_m - p_{l-m+1})] + \sum_{k \neq m} \frac{km}{l^2} E[(p_k - p_{l-k+1})(p_m - p_{l-m+1})], \qquad (9)$$

which simplifies to

$$\Delta \chi_l^2 = -\sum_{k,m} \frac{(k-m)^2}{l^2} E[(p_k - p_{l-k+1})(p_m - p_{l-m+1})].$$
(10)

The negative sign appears because  $(p_k - p_{l-k+1})$  and  $(p_m - p_{l-m+1})$  are in general anticorrelated due to Eq. (8). Equation (10) implies that  $\Delta \chi_l^2$  measures the long-range correlations in  $Q_k$ : If we assume that  $-E[(p_k - p_{l-k+1})(p_m - p_{l-m+1})] \propto (k-m)^{2\chi_H}/l^2$  (cf.  $p_k$  scales as 1/l, e.g., see Ref. 17), we have that

$$\Delta \chi_l^2 \propto l^{4+2\chi_H}/l^4 \tag{11}$$

so that

$$\Delta \chi_l (\equiv \sqrt{\Delta \chi_l^2}) \propto l^{\chi_H},\tag{12}$$

where  $\chi_H$  is a scaling exponent.

### A. Fractional Brownian motion and fractional Gaussian noise time series

In order to examine the validity of Eq. (12) when  $Q_k$  are coming from fBm or fractional Gaussian noise (fGn), we employed the following procedure: First, we generated fBm (or fGn) time series  $X_k$  (consisting of  $2 \times 10^4$  points) for a given value of H using the Mandelbrot–Weierstrass function<sup>28–30</sup> as described in Ref. 22. Second, as  $Q_k$  should be positive, we normalized the resulting  $X_k$  time series to zero mean and unit standard deviation and then added to the normalized time series  $N_k$  a constant factor c to ensure the positivity of  $Q_k = N_k + c$  (for the purpose of the present study we used c = 10). The resulting  $Q_k$  time series were then analyzed and the fluctuations of  $\Delta \chi_l$  versus the scale l are shown



FIG. 3. (Color online) (a) The electric signal recorded on 14 November 2006 at PIR station (sampling rate  $f_{exp}=1$  Hz). The signal is presented here in normalized units (see the text). The corresponding dichotomous representation is shown with the dotted (blue) line. The gray shaded area shows an additional signal (consisting of pulses of smaller duration) superimposed on the previously mentioned signal. (b) The signal belonging to the gray shaded area in (a) is given here in an expanded time scale, whereas its dichotomous representation is marked by the dotted (blue) line. (c) How the signals in (a) and (b) are read in natural time: the continuous (red crosses) and dotted (blue asterisks) bars correspond to the durations of the dichotomous representations marked in (a) and (b), respectively. (d), (e) and (f) are similar to (a), (b) and (c), respectively, but for the two SES activities at PAT station on 2 July 2007 and 10 July 2007, respectively.

in Figs. 1(a) and 1(d) for fGn and fBm, respectively. The upper three panels of Fig. 1 correspond to fGn, whereas the lower three to fBm. We observe [see Fig. 1(b)] that for fGn we have the interconnection:  $\chi_H \approx H-1$  corresponding to *descending* curves [see Fig. 1(a)], whereas for fBm the interconnection turns [see Fig. 1(e)] to:  $\chi_H \approx H$  corresponding to *ascending* curves [see Fig. 1(d)].

In order to judge the merits or demerits of the procedure proposed here for the determination of the scaling exponent, we compare Figs. 1(b) and 1(e) with Figs. 1(c) and 1(f), respectively, that have been obtained by the well-established DFA method.<sup>25,26</sup> This comparison reveals that the results are more or less comparable for fGn, whereas for fBm the exponent  $\chi_H$  deviates less from the behavior of an ideal estimator



 34'N
 per

 20'E
 21'E
 22'E
 23'E
 24'E
 25'E
 26'E
 20'E

 FIG. 4. Map of the area surrounding the station PIR (solid dot) and the epicenters of the EOs (stars) with magnitude 5.2 units and 5.8 units that
 5.8 units that
 35)

epicenters of the Eqs (stars) with magnitude 5.2 units and 5.8 units that occurred on January 18 and 3 February 2007, respectively. The seismicity subsequent to the SES activities on 14 November 2006, has been studied in the gray shaded areas (the large and the small area are designated A and B, respectively).

of the true scaling exponent (drawn in dashed green) compared to  $\alpha_{\text{DFA}}$ , especially for the largest *H* values.

# B. Fluctuations of the natural time to distinguish seismic electric signal activities from similar looking AN

The physical meaning of the present analysis was further investigated by performing the same procedure in the time series of the durations of those signals analyzed in Ref. 19 that have enough number of pulses e.g.,  $\approx 10^2$  (cf. the signals depicted in Fig. 3 could not be analyzed in view of the small number of pulses). The relevant results are shown in Fig. 2. Their inspection interestingly indicates that all seven AN correspond to descending  $\Delta \chi_l$  curves versus the scale l, whereas the three SES activities to ascending curves [in a similar fashion as in Figs. 1(a) and 1(d), respectively] as expected from the fact that the latter exhibit<sup>24</sup> infinitely ranged longranged temporal correlations (having H close to unity), whereas the former do not. Hence, the method proposed here enables the detection of long-range correlations even for data sets of small size ( $\approx 10^2$ ), thus allowing the distinction of SES activities from AN.

#### III. RECENT DATA OF SEISMIC ELECTRIC SIGNALS ACTIVITIES

First, Fig. 3(a) depicts an electric signal, consisting of a number of pulses, that has been recorded on 14 November 2006 at a station labeled<sup>31</sup> PIR lying in western Greece (close to Pirgos city). This signal has been clearly collected at 11 measuring electric dipoles with electrodes installed at sites that are depicted in a map given in Ref. 31. The signal is presented (continuous line in red) in Fig. 3(a) in normalized units, i.e., by subtracting the mean value and dividing by the standard deviation. For the reader's convenience, the



FIG. 5. (Color online) The normalized power spectrum (red crosses)  $\Pi(\phi)$  of the seismicity as it evolves event by event (whose date and time of occurrence are written in green in each panel) after the initiation of the SES activity on 14 November 2006. The two excerpts presented here, refer to the periods: (a) 25 December 2006 to 17 January 2007, and (b): 18–31 January 2007, and correspond to the area B with  $M_{\text{thres}}$ =3.4. In each panel only the spectrum in the range  $\phi \in [0, 0.5]$  (for the reasons discussed in Refs. 1 and 35) is depicted (separated by the vertical lines), whereas the  $\Pi(\phi)$  of Eq. (13) is depicted by blue solid lines. The minor horizontal ticks for  $\phi$  are marked every 0.1.

corresponding dichotomous representation is also drawn in Fig. 3(a) with a dotted (blue) line, whereas in Fig. 3(c) we show (in red crosses) how the signal is read in natural time. The computation of *S* and *S*\_ leads to the following values:  $S=0.070\pm0.012$  and  $S_{-}=0.051\pm0.010$ . As for the variance  $\kappa_1$ , the resulting value is  $\kappa_1=0.062\pm0.010$ . These values more or less obey the conditions (2) and (3) that have been found to hold for other SES activities.<sup>22</sup> Note that the feature of this SES activity, is similar to the one observed at the same station before the magnitude  $M \approx 6.7$  earthquake that occurred on 8 January 2006, see Ref. 32.

A closer inspection of Fig. 3(a) reveals the following experimental fact: An additional electric signal has been also detected [in the gray shaded area of Fig. 3(a)], which consists of pulses with markedly smaller amplitude than those of the SES activity discussed in the previous paragraph. This is reproduced (continuous line in red) in Fig. 3(b) in an expanded time scale and for the sake of the reader's convenience its dichotomous representation is also marked by the dotted (blue) line, which leads to the natural time representation shown (dotted blue) in Fig. 3(c). The computation of *S* and  $S_{-}$  gives  $S=0.077\pm0.004$ ,  $S_{-}=0.082\pm0.004$ , whereas  $\kappa_{1}$  is found to be  $\kappa_{1}=0.076\pm0.005$ . Hence, these values also obey the conditions (2) and (3) for the classification of this signal as a SES activity.

The two aforementioned signals have been followed by two significant earthquakes as described in Sec. IV. This conforms to their classification as SES activities, which has been completed in an early version of this article<sup>33</sup> on 16 November 2006.

Second, very recently, i.e., on 2 and 10 July 2007, two separate electric signals were recorded at a station labeled PAT lying in central Greece (close to Patras city) at 38.32°N21.90°E. The signals are presented (continuous line in red)in Figs. 3(d) and 3(e) in normalized units in a similar fashion as in Figs. 3(a) and 3(b). Their corresponding di-

TABLE I. Catalog ( $M_{thres}$ =3.2) of the Institute of Geodynamics of the National Observatory of Athens (GI-NOA) (available from http://www.gein.noa.gr/services/monthly-list.html) for the large area (area A) during the following period: From the initiation of the SES activity almost at 17:00 UT on 14 November 2006 (Fig. 3(a)) until the occurrence of the 5.8 units earthquake on 3 February 2007. Note that Ms(ATH)=M+0.5, where M stands for the local magnitude (ML) or the "duration" magnitude (MD). Two events reported by GI-NOA: at 17:32:23.7 on 28 January 2007, and at 5:11:06.5 on 30 January 2007, were omitted as they could not be independently confirmed by other seismic networks operating at that time.

1         2006         11         16         4:20:40.0         35.66         23.26         54         3.5           2         2006         11         16         12:30:50.3         35.44         23.42         5         3.7           4         2006         11         16         12:30:52.5         35.72         24.33         10         3.4           5         2006         11         18         3:44:58.3         34.79         24.07         16         3.6           8         2006         11         18         3:44:58.3         34.79         24.36         34         3.2           9         2006         11         19         9:54:52.3         35.99         23.65         10         3.2           10         2006         11         21         55:70:55         34.81         24.28         54         3.3           12         2006         11         21         4:71:65.84         37.16         21.58         12         4.11           15         2006         11         24         12:16:62.9         37.12         21.56         11         3.5           16         2006         11         25         4:55:01.3	Ν	Year	Month	Day	UT	Lat.(°N)	Lon.(°E)	Depth (km)	М
2         2006         11         16         12:30:50.3         55.44         23.42         5         3.77           4         2006         11         16         12:53:12.5         35.72         24.33         10         3.4           5         2006         11         17         16:31:26.4         36.69         23.32         24         3.2           6         2006         11         18         34:85:33         34.79         24.07         16         3.6           9         2006         11         19         9:31:09.1         35.73         21.95         19         3.6           10         2006         11         19         14:51:24.8         35.75         22.55         24         3.3           11         2006         11         21         8:20:60         37.42         21.06         10         3.3           12         2006         11         24         17:42:56.3         35.60         23.50         7         3.3           15         2006         11         24         21:41:41.4         37.12         21.6         11         3.5           16         2006         11         25         3:14:31.2<	1	2006	11	16	4:20:40.0	35.66	23.26	54	3.5
3         2006         11         16         18:5002.5         36:97         23.11         25         3.7           4         2006         11         16         21:53:12.5         35:72         24.33         10         3.4           5         2006         11         18         3:48:58.3         34.79         24.07         16         3.6           7         2006         11         19         9:31:09.1         35:73         21.95         19         3.6           9         2006         11         19         14:11:45.4         35:75         22.55         24         3.3           10         2006         11         21         25:70:5.5         34.81         24.28         54         3.3           12         2006         11         24         17:16:58.4         37.16         21.58         10         3.3           14         2006         11         24         17:4:76:53         35.60         23.50         7         3.3           15         2006         11         24         21:4:1:4.1         37.12         21.63         8         3.3           16         2006         11         25         3:5:0.5<	2	2006	11	16	12:30:50.3	35.44	23.42	5	3.7
4         2006         11         16         21:53:12.5         35.72         24.33         10         3.4           5         2006         11         18         3:43:58.3         34.79         24.07         16         3.6           7         2006         11         19         9:31:09.1         35.73         21.95         19         3.6           9         2006         11         19         9:31:09.1         35.75         22.55         24         3.3           11         2006         11         21         5:57:05.5         34.81         24.28         54         3.3           12         2006         11         21         5:75:05.5         34.81         24.28         54         3.3           14         2006         11         24         7:76:58         37.16         21.58         12         4.1           15         2006         11         24         7:41:44.1         37.16         21.58         12         4.1           15         2006         11         25         4:5:50.13         37.15         21.86         9.3         3.2           2006         11         25         4:5:50.13         37.	3	2006	11	16	18:50:02.5	36.97	23.11	25	3.7
5       2006       11       17       16.348:58.3       34.79       24.07       16       3.6         7       2006       11       18       24.151:21.8       34.78       24.36       34       3.2         8       2006       11       19       931:00.1       35.73       21.95       19       3.6         9       2006       11       19       141:1454       35.75       22.55       24       3.3         10       2006       11       21       85.705.5       34.81       24.28       54       3.3         12       2006       11       21       12.503.40       35.45       23.90       10       3.3         14       2006       11       24       17.165.84       37.16       21.58       11       3.5         15       2006       11       24       12.417.412.63       35.60       23.50       7       3.3         16       2006       11       24       21.414.41       37.21       21.63       8       3.3         18       2006       11       25       34.154.25.03       37.15       21.86       9       3.3        21       2006       11       <	4	2006	11	16	21:53:12.5	35.72	24.33	10	3.4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5	2006	11	17	16:31:26.4	36.69	23.32	24	3.2
7         2006         11         18         21:51:21.8         34.78         24.36         34         3.2           8         2006         11         19         9:31:09.1         35.73         21.95         19         3.6           9         2006         11         19         10:54:52.3         35.59         23.65         10         3.2           10         2006         11         21         5:57:05.5         34.81         24.28         54         3.3           12         2006         11         21         12:50:34.0         35.45         23.90         10         3.3           14         2006         11         24         17:42:56.3         35.60         23.50         7         3.3           15         2006         11         24         21:41:41.3         37.11         21.66         11         3.5           16         2006         11         25         9:31:81.1         36.75         21.73         12         3.6           21         2006         11         26         17:58:05.7         35.45         23.30         11         4.1           22         2006         11         27         11:5	6	2006	11	18	3:48:58.3	34.79	24.07	16	3.6
8         2006         11         19         9:31:09.1         35.73         21.95         19         3.6           9         2006         11         19         10:54:52.3         35.99         23.65         10         3.2           10         2006         11         21         5:57:05.5         34.81         24.28         54         3.3           12         2006         11         21         8:42:06.0         37.42         21.96         19         3.2           13         2006         11         24         17:16:58.4         37.16         21.58         12         4.1           15         2006         11         24         20:26:02.9         37.12         21.66         11         3.5           16         2006         11         25         3:31:43:12         34.94         23.91         5         3.2           19         2006         11         25         9:30:18:1         36.75         21.73         12         3.6           21         2006         11         26         19:45:54.7         3.54         2.3.31         9         3.3           22         2006         11         27         3:1:5	7	2006	11	18	21:51:21.8	34.78	24.36	34	3.2
9         2006         11         19         10.54:52.3         35.99         23.65         10         3.2           10         2006         11         19         14:11:45.4         35.75         22.55         24         3.3           12         2006         11         21         55:70:55         34.81         24.28         54         3.3           12         2006         11         21         12:50:34.0         35.45         23.90         10         3.3           14         2006         11         24         17:42:56.3         35.60         23.50         7         3.3           15         2006         11         24         21:41:4.1         37.21         21.63         8         3.3           18         2006         11         25         9:30:18.1         36.75         21.73         12         3.6           21         2006         11         26         17:58:05.5         35.47         23.30         11         4.1           22         2006         11         27         11:24:9.8         35.47         23.36         5         3.4           24         2006         11         28         9:07:3	8	2006	11	19	9:31:09.1	35.73	21.95	19	3.6
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	9	2006	11	19	10:54:52.3	35.99	23.65	10	3.2
1120061121 $5:57.05.5$ $34.81$ $24.28$ $54$ $3.3$ 1220061121 $12:50:34.0$ $37.42$ $21.96$ $19$ $3.2$ 1320061124 $17:16:58.4$ $37.16$ $21.58$ $12$ $4.1$ 1520061124 $17:42:56.3$ $35.60$ $23.50$ $7$ $3.3$ 1620061124 $21:41:44.1$ $37.21$ $21.63$ $8$ $3.3$ 1720061125 $3:14:31.2$ $34.94$ $23.91$ $5$ $3.2$ 1920061125 $9:30:18.1$ $36.75$ $21.73$ $12$ $3.6$ 2120061126 $17:58:05.5$ $55.45$ $23.30$ $11$ $4.1$ 2220061126 $19:45:4.7$ $35.47$ $23.36$ $5$ $3.4$ 2320061126 $21:773$ $3:2.33$ $24$ $3.2$ 2420061127 $3:12:49.8$ $35.42$ $23.31$ $9$ $3.3$ 2520061128 $15:07:43.1$ $36.06$ $22.42$ $43$ $3.6$ 2820061128 $15:07:43.1$ $36.06$ $22.42$ $43$ $3.6$ 2920061128 $15:07:43.1$ $36.06$ $22.42$ $43$ $3.6$ 2820061128 $15:07:43.1$ $36.06$ $22.42$ $43$ $3.6$ 29200611 <t< td=""><td>10</td><td>2006</td><td>11</td><td>19</td><td>14:11:45.4</td><td>35.75</td><td>22.55</td><td>24</td><td>3.3</td></t<>	10	2006	11	19	14:11:45.4	35.75	22.55	24	3.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11	2006	11	21	5:57:05.5	34.81	24.28	54	3.3
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	12	2006	11	21	8:42:06.0	37.42	21.96	19	3.2
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	13	2006	11	21	12:50:34.0	35.45	23.90	10	3.3
152006112417:42:56.335.6023.5073.3162006112420:26:02.937.1221.56113.5172006112531:43.1234.9423.9153.219200611259:30:18.136.7521.73123.6212006112617:58:05.535.4523.30114.1222006112619:45:54.735.4023.2723.3232006112623:57:49.135.4723.3653.4242006112731:24:9.835.4223.3193.325200611289:07:38.636.0722.35103.3272006112815:07:43.136.0622.42433.6282006112815:42:59.435.7122.11103.4292006112815:42:59.435.7122.11103.433200612123:30:86.635.4323.3233.2342006112914:11:02.835.9723.11193.535200612122:49:35.635.7222.521143.735200612129:30:68.635.4323.3233.2362006121 <t< td=""><td>14</td><td>2006</td><td>11</td><td>24</td><td>17:16:58.4</td><td>37.16</td><td>21.58</td><td>12</td><td>4.1</td></t<>	14	2006	11	24	17:16:58.4	37.16	21.58	12	4.1
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	15	2006	11	24	17:42:56.3	35.60	23.50	7	3.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	16	2006	11	24	20:26:02.9	37.12	21.56	11	3.5
18         2006         11         25         3:14:31.2         34.94         23.91         5         3.2           19         2006         11         25         4:55:01.3         37.15         21.86         9         3.3           20         2006         11         26         17:58:05.5         35.45         23.30         11         4.1           22         2006         11         26         19:45:54.7         35.40         23.27         2         3.3           23         2006         11         26         23:57:49.1         35.47         23.36         5         3.4           24         2006         11         27         3:12:49.8         35.42         23.31         9         3.3           25         2006         11         28         9:07:38.6         36.07         22.35         10         3.3           27         2006         11         28         15:42:59.4         35.71         22.11         10         3.4           29         2006         11         28         22:37:20.1         35.83         23.60         10         3.2           31         2006         12         2         2:37:02	17	2006	11	24	21:41:44.1	37.21	21.63	8	3.3
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	18	2006	11	25	3:14:31.2	34.94	23.91	5	3.2
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	19	2006	11	25	4:55:01.3	37.15	21.86	9	3.3
212006112617.58:05.533.4523.30114.1222006112619:45:54.735.4023.2723.3232006112623:57:49.135.4723.3653.424200611273:12:49.835.4223.3193.325200611289:07:38.636.0722.35103.326200611289:07:38.636.0722.35103.3272006112815:07:43.136.0622.42433.6282006112822:54:24.037.0621.51123.2302006112914:11:02.835.9723.11193.5312006113023:30:58.635.4323.3233.233200612122:49:35.635.7222.521143.73420061220:29:20.834.7422.87453.23620061231:53:22.436.7221.81243.53820061232:37:36.736.4021.66103.239200612419:32:24.034.9923.44143.440200612722:22:49.435.7323.17323.2372006128 <td< td=""><td>20</td><td>2006</td><td>11</td><td>25</td><td>9:30:18.1</td><td>36.75</td><td>21.73</td><td>12</td><td>3.6</td></td<>	20	2006	11	25	9:30:18.1	36.75	21.73	12	3.6
111111111222006112623:57:49.135.4723.3653.424200611273:12:49.835.4223.3193.3252006112711:58:03.735.5323.43243.226200611289:07:38.636.0722.35103.3272006112815:07:43.136.0622.42433.6282006112815:42:59.435.7122.11103.4292006112822:54:24.037.0621.51123.2302006112914:1:02.835.9723.11193.53120061212:37:02.135.5823.60103.533200612119:57:55.437.0721.4733.23420061220:30:35.337.4222.0443.33720061231:53:22.436.7221.81243.53820061232:37:36.736.4021.66103.23920061232:37:36.736.4021.66103.23920061232:37:36.736.4021.66103.237200612810:54:40.034.99<	21	2006	11	26	17:58:05.5	35.45	23.30	11	4.1
23 $2006$ $11$ $26$ $23:57:49.1$ $35:47$ $23:36$ $5$ $3.4$ $24$ $2006$ $11$ $27$ $3:12:49.8$ $35.47$ $23:36$ $5$ $3.4$ $25$ $2006$ $11$ $27$ $11:58:03.7$ $35:53$ $23.43$ $24$ $3.2$ $26$ $2006$ $11$ $28$ $9:07:38.6$ $36.07$ $22.35$ $10$ $3.3$ $27$ $2006$ $11$ $28$ $15:07:43.1$ $36.06$ $22.42$ $43$ $3.6$ $28$ $2006$ $11$ $28$ $15:42:59.4$ $35.71$ $22.11$ $10$ $3.4$ $29$ $2006$ $11$ $28$ $22:54:24.0$ $37.06$ $21.51$ $12$ $3.2$ $30$ $2006$ $11$ $29$ $14:11:02.8$ $35.97$ $23.11$ $19$ $3.5$ $31$ $2006$ $11$ $30$ $23:30:58.6$ $35.43$ $23.32$ $3$ $3.2$ $33$ $2006$ $12$ $1$ $22:49:35.6$ $35.72$ $22.52$ $114$ $3.7$ $35$ $2006$ $12$ $2$ $0:29:20.8$ $34.74$ $22.87$ $45$ $3.2$ $36$ $2006$ $12$ $3$ $1:5:3:22.4$ $36.72$ $21.81$ $24$ $3.5$ $37$ $2006$ $12$ $3$ $2:37:36.7$ $36.40$ $21.66$ $10$ $3.2$ $38$ $2006$ $12$ $7$ $22:2:49.4$ $4.53.5$ $3.3$ $44$ $4.4$ $3.4$ $40$ $2006$ <t< td=""><td>22</td><td>2006</td><td>11</td><td>26</td><td>19:45:54 7</td><td>35.40</td><td>23.27</td><td>2</td><td>33</td></t<>	22	2006	11	26	19:45:54 7	35.40	23.27	2	33
24 $2006$ $11$ $27$ $312:49.8$ $35.42$ $23.31$ $9$ $3.3$ $25$ $2006$ $11$ $27$ $11:58:03.7$ $35.53$ $23.43$ $24$ $3.2$ $26$ $2006$ $11$ $28$ $9:07:38.6$ $36.07$ $22.35$ $10$ $3.3$ $27$ $2006$ $11$ $28$ $15:42:59.4$ $35.71$ $22.11$ $10$ $3.4$ $29$ $2006$ $11$ $28$ $22:54:24.0$ $37.06$ $21.51$ $12$ $3.2$ $30$ $2006$ $11$ $29$ $14:11:02.8$ $35.97$ $23.11$ $19$ $3.5$ $31$ $2006$ $11$ $29$ $14:11:02.8$ $35.97$ $23.11$ $19$ $3.5$ $31$ $2006$ $12$ $1$ $22:49:35.6$ $35.72$ $22.52$ $114$ $3.7$ $34$ $2006$ $12$ $1$ $22:49:35.6$ $35.72$ $22.52$ $114$ $3.7$ $35$ $2006$ $12$ $2$ $0:29:20.8$ $34.74$ $22.87$ $45$ $3.2$ $36$ $2006$ $12$ $3$ $1:53:22.4$ $36.72$ $21.81$ $24$ $3.5$ $38$ $2006$ $12$ $3$ $1:53:22.4$ $36.72$ $21.81$ $24$ $3.5$ $39$ $2006$ $12$ $7$ $22:24:0$ $34.99$ $23.44$ $14$ $3.4$ $40$ $2006$ $12$ $8$ $10:54:40.0$ $34.95$ $23.42$ $5$ $3.3$ $42$ $2006$ $12$ $1$	23	2006	11	26	23:57:49.1	35.47	23.36	5	3.4
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	24	2006	11	27	3.12.49.8	35.42	23.31	9	3.3
26 $2006$ $11$ $28$ $9:07:38.6$ $36.07$ $22.35$ $10$ $3.3$ $27$ $2006$ $11$ $28$ $15:07:43.1$ $36.06$ $22.42$ $43$ $3.6$ $28$ $2006$ $11$ $28$ $15:42:59.4$ $35.71$ $22.11$ $10$ $3.4$ $29$ $2006$ $11$ $28$ $22:54:24.0$ $37.06$ $21.51$ $12$ $3.2$ $30$ $2006$ $11$ $29$ $14:11:02.8$ $35.97$ $23.11$ $19$ $3.5$ $31$ $2006$ $11$ $30$ $23:30:8.6$ $35.43$ $23.32$ $3$ $3.2$ $32$ $2006$ $12$ $1$ $2:37:02.1$ $35.58$ $23.60$ $10$ $3.5$ $33$ $2006$ $12$ $1$ $9:57:55.4$ $37.07$ $21.47$ $3$ $3.2$ $34$ $2006$ $12$ $1$ $2:92:20.8$ $34.74$ $22.87$ $45$ $3.2$ $36$ $2006$ $12$ $2$ $0:30:35.3$ $37.42$ $22.04$ $4$ $3.3$ $37$ $2006$ $12$ $3$ $1:53:22.4$ $36.72$ $21.81$ $24$ $3.5$ $38$ $2006$ $12$ $3$ $2:37:36.7$ $36.40$ $21.66$ $10$ $3.2$ $39$ $2006$ $12$ $4$ $9:32:24.0$ $34.99$ $23.44$ $14$ $3.4$ $40$ $2006$ $12$ $7$ $2:2:2:49.4$ $35.73$ $23.17$ $32$ $3.2$ $34$ $2006$ $12$ $8$ <td>25</td> <td>2006</td> <td>11</td> <td>27</td> <td>11.58.03.7</td> <td>35 53</td> <td>23.43</td> <td>24</td> <td>3.2</td>	25	2006	11	27	11.58.03.7	35 53	23.43	24	3.2
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	26	2006	11	28	9.07.38.6	36.07	22.45	10	33
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	27	2006	11	28	15:07:43 1	36.06	22.33	43	3.6
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	28	2006	11	28	15:42:59.4	35.71	22.42	10	3.4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20	2006	11	28	22:54:24.0	37.06	21.51	12	3.2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30	2006	11	20	14.11.02.8	35.97	23.11	12	3.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	31	2006	11	30	23:30:58.6	35.43	23.11	3	3.2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32	2006	12	1	2:37:02 1	35 58	23.52	10	3.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	33	2006	12	1	19:57:55.4	37.07	23.00	3	3.2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	34	2006	12	1	22:49:35.6	35.72	22.52	114	3.7
35 $2006$ $12$ $2$ $0.27.0.0$ $37.74$ $22.01$ $4.5$ $3.2$ $36$ $2006$ $12$ $2$ $10:30:35.3$ $37.42$ $22.04$ $4$ $3.3$ $37$ $2006$ $12$ $3$ $1:53:22.4$ $36.72$ $21.81$ $24$ $3.5$ $38$ $2006$ $12$ $3$ $2:37:36.7$ $36.40$ $21.66$ $10$ $3.2$ $39$ $2006$ $12$ $4$ $19:32:24.0$ $34.99$ $23.44$ $14$ $3.4$ $40$ $2006$ $12$ $7$ $22:22:49.4$ $35.73$ $23.17$ $32$ $3.2$ $41$ $2006$ $12$ $8$ $10:54:40.0$ $34.95$ $23.42$ $5$ $3.3$ $42$ $2006$ $12$ $8$ $10:54:40.0$ $34.95$ $23.42$ $5$ $3.3$ $42$ $2006$ $12$ $8$ $10:54:40.0$ $34.95$ $23.42$ $5$ $3.3$ $42$ $2006$ $12$ $8$ $19:57:27.2$ $35.06$ $23.50$ $7$ $3.6$ $44$ $2006$ $12$ $10$ $3:29:46.1$ $34.84$ $24.48$ $10$ $3.2$ $46$ $2006$ $12$ $10$ $3:29:46.1$ $34.84$ $24.48$ $10$ $3.2$ $47$ $2006$ $12$ $11$ $3:36:22.0$ $35.74$ $24.08$ $16$ $3.4$ $48$ $2006$ $12$ $11$ $19:1:29.4$ $35.93$ $23.40$ $15$ $3.2$ $49$ $2006$ $12$ $14$ <td>35</td> <td>2006</td> <td>12</td> <td>2</td> <td>0.29.20.8</td> <td>34 74</td> <td>22.52</td> <td>45</td> <td>3.7</td>	35	2006	12	2	0.29.20.8	34 74	22.52	45	3.7
37 $2006$ $12$ $2$ $10.50.5.5$ $51.42$ $21.64$ $4$ $5.5$ $38$ $2006$ $12$ $3$ $1:53:22.4$ $36.72$ $21.81$ $24$ $3.5$ $38$ $2006$ $12$ $3$ $2:37:36.7$ $36.40$ $21.66$ $10$ $3.2$ $39$ $2006$ $12$ $4$ $19:32:24.0$ $34.99$ $23.44$ $14$ $3.4$ $40$ $2006$ $12$ $7$ $22:22:49.4$ $35.73$ $23.17$ $32$ $3.2$ $41$ $2006$ $12$ $8$ $10:54:40.0$ $34.95$ $23.42$ $5$ $3.3$ $42$ $2006$ $12$ $8$ $12:48:15.5$ $37.02$ $21.93$ $10$ $3.2$ $43$ $2006$ $12$ $8$ $19:57:27.2$ $35.06$ $23.50$ $7$ $3.6$ $44$ $2006$ $12$ $9$ $22:45:56.5$ $35.89$ $23.38$ $24$ $3.4$ $45$ $2006$ $12$ $10$ $3:29:46.1$ $34.84$ $24.48$ $10$ $3.2$ $46$ $2006$ $12$ $10$ $12:41:27.6$ $35.80$ $23.04$ $59$ $3.2$ $47$ $2006$ $12$ $11$ $19:11:29.4$ $35.93$ $23.40$ $15$ $3.2$ $49$ $2006$ $12$ $11$ $19:11:29.4$ $35.93$ $23.40$ $15$ $3.2$ $49$ $2006$ $12$ $13$ $9:45:40.0$ $37.25$ $21.94$ $20$ $3.2$ $51$ $2006$ $12$ $14$	36	2006	12	2	10:30:35 3	37.42	22.07	4	33
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	37	2006	12	3	1.53.22.4	36.72	21.81	24	3.5
39 $2006$ $12$ $4$ $19:32:24.0$ $34.99$ $23.44$ $14$ $3.4$ $40$ $2006$ $12$ $7$ $22:22:49.4$ $35.73$ $23.17$ $32$ $3.2$ $41$ $2006$ $12$ $8$ $10:54:40.0$ $34.95$ $23.42$ $5$ $3.3$ $42$ $2006$ $12$ $8$ $10:54:40.0$ $34.95$ $23.42$ $5$ $3.3$ $42$ $2006$ $12$ $8$ $19:57:27.2$ $35.06$ $23.50$ $7$ $3.6$ $44$ $2006$ $12$ $9$ $22:45:56.5$ $35.89$ $23.38$ $24$ $3.4$ $45$ $2006$ $12$ $10$ $3:29:46.1$ $34.84$ $24.48$ $10$ $3.2$ $46$ $2006$ $12$ $10$ $12:41:27.6$ $35.80$ $23.04$ $59$ $3.2$ $47$ $2006$ $12$ $11$ $3:36:22.0$ $35.74$ $24.08$ $16$ $3.4$ $48$ $2006$ $12$ $11$ $19:11:29.4$ $35.93$ $23.40$ $15$ $3.2$ $49$ $2006$ $12$ $11$ $19:11:29.4$ $35.93$ $23.40$ $15$ $3.2$ $49$ $2006$ $12$ $13$ $9:45:40.0$ $37.25$ $21.94$ $20$ $3.2$ $51$ $2006$ $12$ $14$ $16:44:02.0$ $35.95$ $23.46$ $10$ $3.3$ $52$ $2006$ $12$ $15$ $4:40:12.5$ $35.01$ $23.37$ $80$ $3.4$ $53$ $2006$ $12$ <td< td=""><td>38</td><td>2006</td><td>12</td><td>3</td><td>2.37.36.7</td><td>36.40</td><td>21.61</td><td>10</td><td>3.2</td></td<>	38	2006	12	3	2.37.36.7	36.40	21.61	10	3.2
40 $2006$ $12$ $7$ $22:22:49.4$ $35.73$ $23.17$ $32$ $3.2$ $41$ $2006$ $12$ $8$ $10:54:40.0$ $34.95$ $23.42$ $5$ $3.3$ $42$ $2006$ $12$ $8$ $12:48:15.5$ $37.02$ $21.93$ $10$ $3.2$ $43$ $2006$ $12$ $8$ $19:57:27.2$ $35.06$ $23.50$ $7$ $3.6$ $44$ $2006$ $12$ $9$ $22:45:56.5$ $35.89$ $23.38$ $24$ $3.4$ $45$ $2006$ $12$ $10$ $3:29:46.1$ $34.84$ $24.48$ $10$ $3.2$ $46$ $2006$ $12$ $10$ $12:41:27.6$ $35.80$ $23.04$ $59$ $3.2$ $47$ $2006$ $12$ $11$ $3:36:22.0$ $35.74$ $24.08$ $16$ $3.4$ $48$ $2006$ $12$ $11$ $19:11:29.4$ $35.93$ $23.40$ $15$ $3.2$ $49$ $2006$ $12$ $11$ $19:11:29.4$ $35.93$ $23.40$ $15$ $3.2$ $49$ $2006$ $12$ $11$ $19:11:29.4$ $35.93$ $23.40$ $15$ $3.2$ $51$ $2006$ $12$ $13$ $9:45:40.0$ $37.25$ $21.94$ $20$ $3.2$ $51$ $2006$ $12$ $14$ $16:44:02.0$ $35.95$ $23.46$ $10$ $3.3$ $52$ $2006$ $12$ $15$ $4:40:12.5$ $35.01$ $23.37$ $80$ $3.4$ $53$ $2006$ $12$ <	39	2006	12	4	19:32:24.0	34 99	23.44	14	3.4
41 $2006$ $12$ $8$ $10:54:40.0$ $34.95$ $23.42$ $52$ $3.2$ $41$ $2006$ $12$ $8$ $10:54:40.0$ $34.95$ $23.42$ $5$ $3.3$ $42$ $2006$ $12$ $8$ $12:48:15.5$ $37.02$ $21.93$ $10$ $3.2$ $43$ $2006$ $12$ $8$ $19:57:27.2$ $35.06$ $23.50$ $7$ $3.6$ $44$ $2006$ $12$ $9$ $22:45:56.5$ $35.89$ $23.38$ $24$ $3.4$ $45$ $2006$ $12$ $10$ $3:29:46.1$ $34.84$ $24.48$ $10$ $3.2$ $46$ $2006$ $12$ $10$ $12:41:27.6$ $35.80$ $23.04$ $59$ $3.2$ $47$ $2006$ $12$ $11$ $3:36:22.0$ $35.74$ $24.08$ $16$ $3.4$ $48$ $2006$ $12$ $11$ $19:11:29.4$ $35.93$ $23.40$ $15$ $3.2$ $49$ $2006$ $12$ $11$ $19:11:29.4$ $35.93$ $23.40$ $15$ $3.2$ $49$ $2006$ $12$ $12$ $3:40:55.0$ $35.54$ $22.81$ $17$ $3.7$ $50$ $2006$ $12$ $14$ $16:44:02.0$ $35.95$ $23.46$ $10$ $3.3$ $52$ $2006$ $12$ $15$ $4:40:12.5$ $35.01$ $23.37$ $80$ $3.4$ $53$ $2006$ $12$ $15$ $10:23:32.1$ $36.09$ $22.25$ $45$ $3.7$ $54$ $2006$ $12$ <	40	2006	12	7	22.22.49.4	35.73	23.17	32	3.7
11       2006       12       8       12:48:15.5       37.02       21.93       10       3.2         43       2006       12       8       19:57:27.2       35.06       23.50       7       3.6         44       2006       12       9       22:45:56.5       35.89       23.38       24       3.4         45       2006       12       10       3:29:46.1       34.84       24.48       10       3.2         46       2006       12       10       12:41:27.6       35.80       23.04       59       3.2         47       2006       12       11       3:36:22.0       35.74       24.08       16       3.4         48       2006       12       11       19:11:29.4       35.93       23.40       15       3.2         49       2006       12       12       3:40:55.0       35.54       22.81       17       3.7         50       2006       12       13       9:45:40.0       37.25       21.94       20       3.2         51       2006       12       14       16:44:02.0       35.95       23.46       10       3.3         52       2006       12 <td>41</td> <td>2006</td> <td>12</td> <td>8</td> <td>10:54:40.0</td> <td>34.95</td> <td>23.17</td> <td>5</td> <td>33</td>	41	2006	12	8	10:54:40.0	34.95	23.17	5	33
12       12       12       12       12       12       12       12       12       12       12       12       12       12       13       13       13       13       13       13       13       13       13       13       13       13       13       13       13       13       13       13       13       14       14       10       12       14 <td< td=""><td>42</td><td>2006</td><td>12</td><td>8</td><td>12:48:15 5</td><td>37.02</td><td>21.93</td><td>10</td><td>3.2</td></td<>	42	2006	12	8	12:48:15 5	37.02	21.93	10	3.2
44       2006       12       9       22:45:56.5       35.89       23.38       24       3.4         45       2006       12       10       3:29:46.1       34.84       24.48       10       3.2         46       2006       12       10       12:41:27.6       35.80       23.04       59       3.2         47       2006       12       11       3:36:22.0       35.74       24.08       16       3.4         48       2006       12       11       19:11:29.4       35.93       23.40       15       3.2         49       2006       12       11       19:11:29.4       35.93       23.40       15       3.2         49       2006       12       12       3:40:55.0       35.54       22.81       17       3.7         50       2006       12       13       9:45:40.0       37.25       21.94       20       3.2         51       2006       12       14       16:44:02.0       35.95       23.46       10       3.3         52       2006       12       15       4:40:12.5       35.01       23.37       80       3.4         53       2006       12<	43	2006	12	8	19:57:27.2	35.06	23.50	7	3.6
45       2006       12       10       3:29:46.1       34.84       24.48       10       3.2         46       2006       12       10       12:41:27.6       35.80       23.04       59       3.2         47       2006       12       11       3:36:22.0       35.74       24.08       16       3.4         48       2006       12       11       19:11:29.4       35.93       23.40       15       3.2         49       2006       12       12       3:40:55.0       35.54       22.81       17       3.7         50       2006       12       13       9:45:40.0       37.25       21.94       20       3.2         51       2006       12       14       16:44:02.0       35.95       23.46       10       3.3         52       2006       12       15       4:40:12.5       35.01       23.37       80       3.4         53       2006       12       15       10:23:32.1       36.09       22.25       45       3.7         54       2006       12       16       10:43:15.4       34.85       24.33       6       3.6         55       2006       12<	44	2006	12	9	22:45:56.5	35.89	23.38	24	3.4
46       2006       12       10       12:41:27.6       35.80       23.04       59       3.2         47       2006       12       11       3:36:22.0       35.74       24.08       16       3.4         48       2006       12       11       19:11:29.4       35.93       23.40       15       3.2         49       2006       12       12       3:40:55.0       35.54       22.81       17       3.7         50       2006       12       13       9:45:40.0       37.25       21.94       20       3.2         51       2006       12       14       16:44:02.0       35.95       23.46       10       3.3         52       2006       12       15       4:40:12.5       35.01       23.37       80       3.4         53       2006       12       15       10:23:32.1       36.09       22.25       45       3.7         54       2006       12       16       10:43:15.4       34.85       24.33       6       3.6         55       2006       12       16       15:23:33.2       34.92       23.45       5       3.7	45	2006	12	10	3.29.46 1	34.84	25.50	10	3.7
47       2006       12       11       3:36:22.0       35.74       24.08       16       3.4         48       2006       12       11       19:11:29.4       35.93       23.40       15       3.2         49       2006       12       12       3:40:55.0       35.54       22.81       17       3.7         50       2006       12       13       9:45:40.0       37.25       21.94       20       3.2         51       2006       12       14       16:44:02.0       35.95       23.46       10       3.3         52       2006       12       15       4:40:12.5       35.01       23.37       80       3.4         53       2006       12       15       10:23:32.1       36.09       22.25       45       3.7         54       2006       12       16       10:43:15.4       34.85       24.33       6       3.6         55       2006       12       16       15:23:33.2       34.92       23.45       5       3.7	46	2006	12	10	12:41:27.6	35.80	23.04	59	3.2
48       2006       12       11       19:11:29.4       35.93       23.40       15       3.2         49       2006       12       12       3:40:55.0       35.54       22.81       17       3.7         50       2006       12       13       9:45:40.0       37.25       21.94       20       3.2         51       2006       12       14       16:44:02.0       35.95       23.46       10       3.3         52       2006       12       15       4:40:12.5       35.01       23.37       80       3.4         53       2006       12       15       10:23:32.1       36.09       22.25       45       3.7         54       2006       12       16       10:43:15.4       34.85       24.33       6       3.6         55       2006       12       16       15:23:33.2       34.92       23.45       5       3.7	40	2006	12	11	3:36:22.0	35.00	24.08	16	3.4
49       2006       12       12       3:40:55.0       35.54       22.81       17       3.7         50       2006       12       13       9:45:40.0       37.25       21.94       20       3.2         51       2006       12       14       16:44:02.0       35.95       23.46       10       3.3         52       2006       12       15       4:40:12.5       35.01       23.37       80       3.4         53       2006       12       15       10:23:32.1       36.09       22.25       45       3.7         54       2006       12       16       10:43:15.4       34.85       24.33       6       3.6         55       2006       12       16       15:23:33.2       34.92       23.45       5       3.7	48	2006	12	11	19.11.20.4	35.03	23.40	15	3.7
50       2006       12       13       9:45:40.0       37.25       21.94       20       3.2         51       2006       12       14       16:44:02.0       35.95       23.46       10       3.3         52       2006       12       15       4:40:12.5       35.01       23.37       80       3.4         53       2006       12       15       10:23:32.1       36.09       22.25       45       3.7         54       2006       12       16       10:43:15.4       34.85       24.33       6       3.6         55       2006       12       16       15:23:33.2       34.92       23.45       5       3.7	49	2006	12	12	3:40:55 0	35 54	22.40	17	37
51       2006       12       14       16:44:02.0       35.95       23.46       10       3.3         52       2006       12       15       4:40:12.5       35.01       23.37       80       3.4         53       2006       12       15       10:23:32.1       36.09       22.25       45       3.7         54       2006       12       16       10:43:15.4       34.85       24.33       6       3.6         55       2006       12       16       15:23:33.2       34.92       23.45       5       3.7	50	2006	12	13	9.45.40.0	37.25	21.01	20	3.7
51       2006       12       14       10444020       35.55       25.76       10       35.55         52       2006       12       15       4:40:12.5       35.01       23.37       80       3.4         53       2006       12       15       10:23:32.1       36.09       22.25       45       3.7         54       2006       12       16       10:43:15.4       34.85       24.33       6       3.6         55       2006       12       16       15:23:33.2       34.92       23.45       5       3.7	51	2006	12	14	16.44.02.0	35.95	23.46	10	33
52       2000       12       15       10012332.1       36.09       22.25       45       3.7         53       2006       12       16       10:43:15.4       34.85       24.33       6       3.6         55       2006       12       16       15:23:33.2       34.92       23.45       5       3.7	52	2006	12	15	4.40.12.5	35.01	23.37	80	3.4
54       2006       12       16       10:23:32.1       56.05       22.25       45       57         54       2006       12       16       10:43:15.4       34.85       24.33       6       3.6         55       2006       12       16       15:23:33.2       34.92       23.45       5       3.7	53	2006	12	15	10:23:32.1	36.09	23.37	45	37
55         2006         12         16         15:23:33.2         34.92         23.45         5         3.7	54	2006	12	16	10:43:15.4	34.85	24.33	6	3.6
	55	2006	12	16	15:23:33.2	34.92	23.45	5	3.7

TABLE I. (	Continued.)
1110001. (	continuca.

Ν	Year	Month	Day	UT	Lat.(°N)	Lon.(°E)	Depth (km)	М
56	2006	12	17	4:44:38.7	34.73	24.00	30	3.5
57	2006	12	17	4:44:42.7	35.15	24.12	59	3.5
58	2006	12	17	10:20:49.7	36.06	21.76	37	3.3
59	2006	12	17	14:13:23.4	36.21	21.70	10	3.4
60	2006	12	17	20: 0:20.6	34.84	24.21	34	4.0
61	2006	12	17	22:38:37.5	36.65	21.00	10	3.2
62	2006	12	20	4:34:09.2	37.48	21.50	10	3.2
63	2006	12	20	4:45:15.0	35.42	21.43	10	3.5
64	2006	12	20	19:27:32.5	34.60	23.79	11	3.8
65	2006	12	20	20:17:02.7	36.68	21.50	4	3.2
66	2006	12	24	6:58:02.3	34.94	24.03	10	3.6
67	2006	12	24	7:12:11.4	36.29	22.20	24	3.8
68	2006	12	25	14:08:59.4	34.83	22.66	39	4.4
69	2006	12	25	14:15:50.1	34.99	23.04	39	4.0
70	2006	12	25	14:18:50.7	35.09	23.06	27	4.0
71	2006	12	25	14:22:30.3	35.01	22.95	18	3.9
72	2006	12	25	14:57:00.5	35.04	22.84	14	4.1
73	2006	12	25	17:29:17.9	35.92	23.62	5	3.2
74	2006	12	25	18:13:44.5	35.09	23.29	10	3.7
75	2006	12	28	6:32:19.4	37.53	21.81	10	3.2
76	2006	12	29	2:00:54.9	36.77	21.81	5	3.3
77	2006	12	30	22:51:38.0	35.39	23.34	13	3.2
78	2006	12	31	7:00:51.9	35.85	22.08	10	3.2
79	2006	12	31	18: 6:27.5	35.05	22.00	12	3.7
80	2000	12	1	15.27.48.7	34 72	22.10	23	3.5
81	2007	1	3	15:04:04.9	35.37	23.29	10	3.4
82	2007	1	3	18.18.34.5	36.54	21.74	26	3.8
83	2007	1	4	7.57.08 3	37 37	21.74	15	3.0
0 <i>5</i> 0 <i>1</i>	2007	1	4	14.55.24.6	36.20	21.50	10	2.5
04 05	2007	1	4	14:55:24.0	30.29	21.92	10	3.2
0J 02	2007	1	4	20:41:40.0	24.91	23.01	43	2.5
00 07	2007	1	4	20:41:40.9	34.89	24.13	40	3.2
8/ 00	2007	1	4	22:47:39.1	30.90	21.07	25	3.2
88 80	2007	1	/	14:07:11.5	37.10	21.95	20	3.4
89	2007	1	8	16:13:02.8	35.10	23.03	10	3.4
90	2007	1	9	9:55:29.2	36.70	21.55	31	3.4
91	2007	1	9	15:54:47.3	35.89	23.61	3	3.2
92	2007	1	9	23:09:20.0	36.21	22.70	116	3.6
93	2007	1	11	5:50:39.5	35.02	22.48	38	3.8
94 97	2007	1	13	11:12:43.3	35.48	23.51	8	3.4
95	2007	1	14	9:09:23.0	35.30	23.38	3	3.8
96	2007	1	14	16:43:01.6	35.06	23.20	85	4.1
97	2007	1	15	0:55:18.8	37.47	21.07	15	3.2
98	2007	1	15	3:13:45.8	36.06	22.40	13	3.4
99	2007	1	15	6:56:47.0	35.42	23.56	33	3.3
00	2007	1	15	17:50:48.7	36.56	21.65	5	3.4
01	2007	1	17	1:52:18.8	36.20	21.58	34	3.7
02	2007	1	17	3:22:53.9	35.34	23.53	12	3.7
03	2007	1	18	22:25:23.0	34.84	22.67	39	4.7
04	2007	1	18	23:31:32.7	34.76	21.36	10	3.4
05	2007	1	19	8:42:22.8	34.72	22.57	38	4.4
06	2007	1	20	7:05:37.0	34.95	24.09	19	3.5
07	2007	1	20	7:24:24.6	34.86	23.96	19	3.4
08	2007	1	20	10:24:55.4	36.88	22.10	10	3.2
09	2007	1	20	11:57:23.7	36.69	22.47	10	3.5
10	2007	1	20	23:50:04.1	34.93	24.40	28	3.3
111	2007	1	21	17:52:34.9	35.46	23.46	11	3.4
12	2007	1	25	10:24:47.3	35.33	23.40	2	3.3
13	2007	1	25	21:09:45.7	35.09	23.25	22	4.3
14	2007	1	28	15:19:23.6	36.29	23.17	25	3.4
15	2007	1	28	19:12:16.4	36.95	21.13	10	3.4
		+	<u> </u>	+ < 1 + H + 1 V + T	20.22			. / . T

TABLE I. (Continued.)

Ν	Year	Month	Day	UT	Lat.(°N)	$Lon.(^{\circ}E)$	Depth (km)	М
116	2007	1	30	5:11:08.9	35.94	23.41	28	3.3
117	2007	1	30	10:38:42.7	36.98	21.10	12	3.5
118	2007	1	30	21:11:43.0	36.13	22.17	30	3.3
119	2007	1	31	4:56:59.1	35.49	22.78	36	3.4
120	2007	1	31	14:45:09.7	34.67	22.42	29	3.6
121	2007	1	31	18:40:54.1	36.26	22.48	23	3.6
122	2007	2	1	16:45:35.3	34.69	22.46	21	3.9
123	2007	2	1	21:06:54.7	36.06	21.62	42	3.2
124	2007	2	2	6:39:05.6	35.21	23.25	33	3.3
125	2007	2	2	13:27:53.1	37.22	21.63	4	3.4



FIG. 6. (Color online) Evolution of the quantities  $\kappa_1$ , *S*, and *S*\_; they are shown in (a), (b), and (c), respectively, for three magnitude thresholds, i.e.,  $M \ge 3.2$ , 3.4 and 3.6, for both areas, i.e., the large (area A) and the small (area B). The solid horizontal lines correspond to  $\kappa_1 = 0.07$  and  $S_u = \ln 2/2 - 1/4$ .

chotomous representation are also drawn with dotted (blue) lines, whereas in Fig. 3(f) we show (in red crosses and blue asterisks, respectively) how the signals are read in natural time. The computation of  $\kappa_1$ , *S* and *S*\_ leads to the following values: For the signal on 2 July 2007:  $\kappa_1$ =0.072±0.005, *S* =0.073±0.007, and *S*\_=0.081±0.006 and for the signal on 10 July 2007:  $\kappa_1$ =0.073±0.004, *S*=0.085±0.005, and *S*\_



FIG. 7. (Color online) The average distance  $\langle D \rangle$  between the calculated and the theoretical  $\Pi(\phi)$  curves versus the conventional time. The calculation of  $\langle D \rangle$  is made upon the occurrence of every consecutive earthquake when starting the calculation after the initiation of the SES activities on 14 November 2006 [depicted in Figs. 3(a) and 3(b)] for the large (area A) and the small (area B) for the three magnitude thresholds  $M_{\text{thres}}$ =3.2, 3.4 and 3.6. The black solid line corresponds to the mean value obtained from the three thresholds.





FIG. 9. A map showing areas A, B, and C at which the analysis of the seismicity in natural time is currently carried out.

= $0.080 \pm 0.004$ . An inspection of these values reveals that they obey the conditions (2) and (3) and hence both signals can be classified as SES activities. The procedure for the current study of the subsequent seismicity that occurred after these SES activities is described in the next section.

### IV. SEISMIC ACTIVITY THAT FOLLOWED THE SES ACTIVITIES

We discriminate that during the last decade SES activities are publicized only when their amplitude indicates that the impending earthquake has an expected<sup>13,23</sup> magnitude comparable to 6.0 unit or larger.

#### A. Case of the SES activities of Figs. 3(a) and 3(b)

According to the Athens observatory (the data of which will be used here), a strong earthquake (EQ) with magnitude 5.8 units occurred at 13:43 UT (Universal Time) on 3 February 2007, with the epicenter at 35.8°N 22.6°E, i.e., almost 80 km to the southwest of the 6.9 EQ of 8 January 2006 (cf. the magnitude Ms (ATH) announced from Athens observatory is equal to ML+0.5, where ML stands for the local magnitude). This was preceded by a 5.2 units EQ that occurred at 22:25 UT on 18 January 2007 at 34.8°N 22.7°E. The occurrence of these two EQs confirm the classification as SES activities of the signals depicted in Figs. 3(a) and 3(b). (Note that preseismic information based on SES activities is issued, as mentioned, only when the magnitude of the strongest EQ of the impending EQ activity is estimated-by means of the SES amplitude<sup>34</sup>—to be comparable to 6.0 units or larger.<sup>13</sup>)

Here, we show that the occurrence times of the aforementioned two EOs can be estimated by following the procedure described in Refs. 1, 22, 23, and 35 and using the order parameter of seismicity proposed in Ref. 35, i.e., the normalized power spectrum in natural time  $\Pi(\phi)$  as  $\phi \rightarrow 0$ (see also the following). We study how the seismicity evolved after the recording of the SES activities on 14 November 2006, at the PIR station (which were classified as SES activities in an early version<sup>33</sup> of the present article on 16 November 2006, as mentioned above). The study is made either in the area  $A\!:\!N^{37.54}_{34.45}E^{24.54}_{20.95}$  or in the area  $B\!:\!N^{37.24}_{34.65}E^{24.44}_{21.55}$ (see Fig. 4), by considering three magnitude thresholds  $M_{\text{thres}}$ =3.2, 3.4, and 3.6 (hence six combinations were studied in total). If we set the natural time for seismicity zero at the initiation of the SES activity at 17:19 UT on 14 November 2006, we form time series of seismic events<sup>36</sup> in natural time for various time windows as the number N of consecutive (small) EQs increases. We then compute the normalized power spectrum<sup>1,22,23,25</sup> in natural time  $\Pi(\phi)$  for each of the time windows. Excerpts of these results, which refer to the



FIG. 10. (Color online) The thick colored lines in (a) and (b) depict the average value of S (solid red),  $S_{-}$  (dashed blue) and  $\kappa_{1}$  (dotted green) versus the number of  $Q_{k}$  for the two examples (i) and (ii), respectively, mentioned in the Appendix. The thinner lines refer to the  $\pm \sigma$  deviation from the average value.

values during the periods: (a) 25 December 2006, to 17 January 2007, and (b) 18–31 January 2007 are depicted with red crosses in Fig. 5, respectively. Figure 5 corresponds to the small area B with  $M_{\rm thres}$ =3.4. In Fig. 5 we plot in solid blue the normalized power spectrum obeying the relation<sup>1–3,35</sup>

$$\Pi(\omega) = \frac{18}{5\omega^2} - \frac{6\cos\omega}{5\omega^2} - \frac{12\sin\omega}{5\omega^3},\tag{13}$$

which holds when the system enters the *critical* stage ( $\omega$ = $2\pi\phi$ , where  $\phi$  stands for the natural frequency<sup>1-3,13</sup>). The date and the time of the occurrence of each small earthquake (with  $M \ge 3.4$ ) that occurred in the area B, is written in green in each panel (see also Table I). An inspection of Fig. 5(a)reveals that the red line approaches the blue line as N increases and a coincidence occurs at the small event of magnitude 3.7 that occurred at 03:22 UT on 17 January 2007, i.e., roughly two days before the 5.2 units EQ at 22:25 UT on 18 January 2007. A similar behavior is observed in Fig. 5(b) in which we see that a *coincidence* occurs at the small event of magnitude 3.6 at 18:40 UT on 31 January 2007, i.e., roughly three days before the strong EQ of magnitude 5.8 units that occurred at 13:43 UT on 3 February 2007. To ensure that these two coincidences in Figs. 5(a) and 5(b) are *true* ones<sup>1,3,13,31,35</sup> (see also the following), we also calculate the evolution of the quantities  $\kappa_1$ , S and S<sub>-</sub> and the results are depicted in Fig. 6 for the three magnitude thresholds for each of the aforementioned two areas A and B.

The conditions for a coincidence to be considered as true are the following (e.g., see Ref. 1, see also Refs. 3, 13, 31, and 35): First, the "average" distance  $\langle D \rangle$  between the empirical and the theoretical  $\Pi(\phi)$  (i.e., the red and the blue lines, respectively, in Fig. 5) should be  $^{1,2,13,31,35}$  smaller than or equal to  $10^{-2}$ . See Fig. 7, where we plot  $\langle D \rangle$  versus the conventional time during the whole period after the recording of the SES activities on 14 November 2006, for both areas, i.e., the large one (area A) and the small (area B) and the three magnitude thresholds. For the sake of the readers convenience, the mean value of the results obtained for the three thresholds is also shown in black. Second, in the examples observed to date,  $^{1,3,13,31,34,35}_{1,3,1,34,35}$  a few events *before* the coincidence leading to the strong EQ, the evolving  $\Pi(\phi)$  has been found to approach that of Eq. (1), i.e., the blue one in Fig. 5 (cf. this reflects that during this approach the  $\kappa_1$ -value decreases as the number of events increases). In addition, both values S and S<sub>-</sub> should be smaller than  $S_u$  at the coincidence. Finally, as the process concerned is self-similar (critical dynamics), the time of the occurrence of the (true) coincidence should not change, in principle, upon changing either the (surrounding) area or the magnitude threshold used in the calculation. Note that in Fig. 7, at the last small events, i.e., the rightmost in Figs. 5(a) and 5(b), respectively (i.e., the magnitude 3.7 event on 17 January 2007 and the second event of magnitude 3.6 on 31 January 2007) just before the occurrences of the 5.2 units and 5.8 units EQs, in both areas A and B, the mean value (see the black thick lines in Fig. 7) of  $\langle D \rangle$  obtained from the three magnitude thresholds become smaller than or equal to  $10^{-2}$ . Hence, these two coincidences can be considered as true.

In summary, the SES activities recorded on 14 November 2006, at PIR station [presented in Figs. 3(a) and 3(b)] have been followed by two EQs with magnitudes 5.2 units and 5.8 units that occurred on 18 January and 3 February 2007. The time of the occurrences of these two EQs are determined within a narrow range of a few days upon analyzing, in natural time, the seismicity subsequent to the SES activities.

#### B. Case of the SES activities of Figs. 3(d) and 3(e)

The actual amplitude (in mV) of the most recent SES activities recorded at PAT on 2 and 10 July 2007 [see Figs. 3(d) and 3(e), respectively] can be visualized in Figs. 8(a) and 8(b) where the original recordings of a measuring electric dipole (with length  $L\approx 5$  km) are reproduced. For the sake of comparison, in Figs. 8(c) and 8(d), we also present the corresponding SES activities at the same station, i.e., PAT, that preceded<sup>23,31</sup> the magnitude 6.0-class earthquakes that occurred with epicenters at 37.6°N20.9°E on 11 and 12 April 2006. Further, in Fig. 8(e), we show the SES activity<sup>37</sup> at PAT on 8 February 2007, which was followed by a magnitude class 6.0 earthquake at 38.3°N20.4°E that occurred on 25 March 2007.

In order to determine the occurrence time of the impending EQs, we currently apply the procedure explained in the previous subsection by studying the seismicity in the areas A, B, and C (see Fig. 9). As the result should exhibit *spatial* scale invariance, the epicenter(s) will lie either in area B or in area C depending on whether the areas A and B or A and C show *true* coincidence.

#### **V. CONCLUSIONS**

First, the scale dependence of the fluctuations of the natural time under time reversal distinguish similar looking electric signals emitted from systems of different dynamics providing a useful tool for the determination of the scaling exponent. In particular, SES activities (*critical* dynamics) are distinguished from noises emitted from man-made electrical sources.

Second, recent data of SES activities are presented which confirm that the value of the entropy in natural time as well as its value under time reversal are smaller than that of a uniform distribution.

*Note added in proof:* After the submission of the present article, the classification of the signals depicted in Fig. 3(d) and 3(e) as SES activities [see also Figs. 8(a) and 8(b)] was confirmed, since two earthquakes with magnitudes 5.1 and 5.3 occurred on 27 August 2007 and 27 October 2007 with epicenters at (38.25N 20.33E) and (37.75N 21.34E), respectively, i.e., within the areas A,B (Fig. 9) foreseen in Sec. IV B.

### APPENDIX: THE CASE OF SIGNALS THAT EXHIBIT SHORT-RANGE TEMPORAL CORRELATIONS

Here, we present results of modeling  $Q_k$  by short-ranged temporal correlated time series. Two examples were treated by numerical simulation: (i) A stationary autoregressive process  $Q_k = aQ_{k-1} + g_k + c$ , |a| < 1, where  $g_k$  are Gaussian IID

random variables, and *c* stands for an appropriate constant to ensure positivity of  $Q_k$ . (ii)  $Q_k = |aQ_{k-1}+g_k|$ . Figure 10(a) depicts the results for  $S, S_-$  and  $\kappa_1$  for the first example versus the number of  $Q_k$ , whereas Fig. 10(b) refers to the second example. In both cases *S* and *S\_* converge to  $S_u$  whereas  $\kappa_1$  to the value  $\kappa_u = 1/12$  corresponding to the uniform distribution. For the reader's convenience, the values of  $S_u$  and  $\kappa_u$ are designated by the horizontal solid black lines.

- <sup>2</sup>P. A. Varotsos, N. V. Sarlis, and E. S. Skordas, Phys. Rev. E **66**, 011902 (2002).
- <sup>3</sup>P. Varotsos, N. Sarlis, and E. Skordas, Acta Geophys. Pol. **50**, 337 (2002).
- <sup>4</sup>P. Varotsos and K. Alexopoulos, *Thermodynamics of Point Defects and*
- *their Relation with Bulk Properties* (North Holland, Amsterdam, 1986). <sup>5</sup>P. Varotsos, K. Alexopoulos, K. Nomicos, and M. Lazaridou, Nature (London) **322**, 120 (1986).
- <sup>6</sup>P. Varotsos, K. Alexopoulos, K. Nomicos, and M. Lazaridou, Tectonophysics **152**, 193 (1988).
- <sup>7</sup>P. Varotsos, N. Sarlis, and S. Skordas, Phys. Rev. Lett. **91**, 148501 (2003).
- <sup>8</sup>P. Varotsos, N. Sarlis, and S. Skordas, Appl. Phys. Lett. **86**, 194101 (2005).
- <sup>9</sup>P. Varotsos, N. Sarlis, and S. Skordas, Proc. Jpn. Acad., Ser. B: Phys. Biol. Sci. **77**, 93 (2001).
- <sup>10</sup>P. Varotsos, N. Sarlis, M. Lazaridou, and P. Kapiris, J. Appl. Phys. 83, 60 (1998).
- <sup>11</sup>P. Varotsos, N. Sarlis, and M. Lazaridou, Phys. Rev. B 59, 24 (1999).
- <sup>12</sup>N. Sarlis, M. Lazaridou, P. Kapiris, and P. Varotsos, Geophys. Res. Lett. 26, 3245 (1999).
- <sup>13</sup>P. Varotsos, *The Physics of Seismic Electric Signals* (TERRAPUB, Tokyo, 2005).
- <sup>14</sup>P. Varotsos, N. Sarlis, S. Skordas, and M. Lazaridou, Appl. Phys. Lett. **90**, 064104 (2007).
- <sup>15</sup>S. Abe, N. V. Sarlis, E. S. Skordas, H. K. Tanaka, and P. A. Varotsos, Phys. Rev. Lett. **94**, 170601 (2005).
- <sup>16</sup>P. A. Varotsos, N. V. Sarlis, and E. S. Skordas, Phys. Rev. E 68, 031106 (2003).
- <sup>17</sup>P. A. Varotsos, N. V. Sarlis, E. S. Skordas, and M. S. Lazaridou, Phys. Rev. E **70**, 011106 (2004).
- <sup>18</sup>P. A. Varotsos, N. V. Sarlis, E. S. Skordas, and M. S. Lazaridou, Phys. Rev. E **71**, 011110 (2005).
- <sup>19</sup>P. A. Varotsos, N. V. Sarlis, H. K. Tanaka, and E. S. Skordas, Phys. Rev. E

- <sup>20</sup>B. Lesche, J. Stat. Phys. **27**, 419 (1982).
- <sup>21</sup>B. Lesche, Phys. Rev. E **70**, 017102 (2004).
- <sup>22</sup>P. A. Varotsos, N. V. Sarlis, E. S. Skordas, H. K. Tanaka, and M. S. Lazaridou, Phys. Rev. E **73**, 031114 (2006).
- <sup>23</sup>P. A. Varotsos, N. V. Sarlis, E. S. Skordas, H. K. Tanaka, and M. S. Lazaridou, Phys. Rev. E 74, 021123 (2006).
- <sup>24</sup>P. A. Varotsos, N. V. Sarlis, and E. S. Skordas, Phys. Rev. E 67, 021109 (2003).
- <sup>25</sup>C.-K. Peng, S. V. Buldyrev, S. Havlin, M. Simons, H. E. Stanley, and A. L. Goldberger, Phys. Rev. E 49, 1685 (1994).
- <sup>26</sup>S. V. Buldyrev, A. L. Goldberger, S. Havlin, R. N. Mantegna, M. E. Matsa, C.-K. Peng, M. Simons, and H. E. Stanley, Phys. Rev. E **51**, 5084 (1995).
- <sup>27</sup>Å. Weron, K. Burnecki, S. Mercik, and K. Weron, Phys. Rev. E 71, 016113 (2005).
- <sup>28</sup>B. Mandelbrot and J. R. Wallis, Water Resour. Res. 5, 243 (1969).
- <sup>29</sup>J. Szulga and F. Molz, J. Stat. Phys. **104**, 1317 (2001).
- <sup>30</sup>M. Frame, B. Mandelbrot, and N. Neger, Fractal Geometry, Yale University, available from http://classes.yale.edu/fractals/, see http:// classes.yale.edu/Fractals/RandFrac/fBm/fBm4.html
- <sup>31</sup>See EPAPS document No. E-PLEEE8-74-190608 for additional information (for more information on EPAPS, see http://www.aip.org/pubservs/ epaps.html); originally from P. A. Varotsos, N. V. Sarlis, E. S. Skordas, H. K. Tanaka, and M. S. Lazaridou, Phys. Rev. E 74, 021123 (2006).
- <sup>32</sup>P. A. Varotsos, Proc. Jpn. Acad., Ser. B: Phys. Biol. Sci. 82, 86 (2006).
- <sup>33</sup>P. Varotsos, N. Sarlis, S. Skordas, and M. Lazaridou, (2006), arXiv:condmat/0611437v1 [cond-mat.stat-mech].
- <sup>34</sup>The time of the impending earthquake can be determined by means of the procedure described in EPAPS Document No. E-PLEEE8-73-134603 for additional information (for more information on EPAPS, see http://www.aip.org/pubservs/ epaps.html); originally from P. A. Varotsos, N. V. Sarlis, E. S. Skordas, H. K. Tanaka, and M. S. Lazaridou, Phys. Rev. E 73, 031114 (2006).
- <sup>35</sup>P. Varotsos, N. Sarlis, H. Tanaka, and E. Skordas, Phys. Rev. E 72, 041103 (2005).
- <sup>36</sup>In the natural time analysis of the seismicity we study the evolution of the pair  $(\chi_k, Q_k)$ , where  $Q_k$  is proportional to the seismic moment  $M_0$ . Following Refs. 1, 3, 13, 34, and 35 for the reasons of this calculation the formulas  $M_0 = 10^{M_L+10.5}$  (N m), for  $M_L \le 3.6$  and  $M_0 = 10^{1.5M_L+8.7}$  (N m), for  $3.6 < M_L \le 5.0$  proposed by the Global Seismological Services were used. Then, the normalized power spectrum is given in Refs. 1, 3, 13, 34, and 35 by  $\Pi(\phi) \equiv |\Sigma_{k=1}^N p_k \exp(i2\pi\phi\chi_k)|^2$ , where  $p_k = (M_0)_k / \sum_{n=1}^N (M_0)_n$ .
- <sup>37</sup>P. Varotsos, N. Sarlis, S. Skordas, and M. Lazaridou, (2007), arXiv:condmat/0703683v5 [cond-mat.stat-mech].

<sup>&</sup>lt;sup>1</sup>P. A. Varotsos, N. V. Sarlis, and E. S. Skordas, Pract. Athens Acad. **76**, 294 (2001).

**<sup>71</sup>**, 032102 (2005).